# PROPOSED SURFACE WASHING AGENT TESTING & EVALUATION PROTOCOL

NY/NJ RRT MEETING
JUNE 18-19, 2019



### AUTHORIZATION OF USE:

SECTION 300.910: "RRTS SHALL
ADDRESS...THE DESIRABILITY OF USING
APPROPRIATE DISPERSANTS, SURFACE
WASHING AGENTS, SURFACE COLLECTING
AGENTS, BIOREMEDIATION AGENTS, OR
MISCELLANEOUS OIL SPILL CONTROL
AGENTS LISTED ON THE NCP PRODUCT
SCHEDULE."

#### NOT PREAUTHORIZATION

- NO NEED TO DEVELOP PRE-AUTHORIZATION FOR THE USE OF SWA'S.
- THE EFFECTIVE USE OF SWA'S IS NOT SUBJECT TO A TIME-CRITICAL WINDOW OF OPPORTUNITY, AS IS THE CASE WITH DISPERSANTS, IN-SITU BURNING, OR SOLIDIFIERS.
- USE OF SWA'S WILL BE ON A CASE-BY-CASE BASIS AND REVIEWED BY THE INCIDENT-SPECIFIC RRT PRIOR TO AUTHORIZING ANY APPLICATION.

## WHY ESTABLISH PROTOCOLS?

- ADDRESSES THE TESTING AND EVALUATION OF SWA'S LISTED ON THE NCP PRODUCT SCHEDULE.
- IDENTIFIES SPECIFIC PRACTICES TO BE FOLLOWED FOR EVALUATING THE EFFECTIVENESS AND BIOLOGICAL IMPACTS OF TEST APPLICATIONS
- ANY POST-TEST DECISION TO
   OPERATIONALLY USE SURFACE WASHING
   AGENTS MUST RECEIVE CONCURRENCE
   FROM EPA AND THE AFFECTED STATE(S), IN
   CONSULTATION WITH THE DOI AND NOAA
   NATURAL RESOURCE TRUSTEES.



### **CONTENTS:**

- INTRODUCTION
- CRITERIA FOR CONSIDERING THE USE OF SWA'S
- CONSTRAINTS GOVERNING TEST USE OF SWA'S
- TEST PREPARATION PROCESS
- TEST APPLICATION PROCEDURES
- REPORTING

### CRITERIA FOR CONSIDERING THE USE OF SWA'S

- THE RRT RECOGNIZES THAT IN CERTAIN
   CIRCUMSTANCES, THE COMPLETE PHYSICAL
   CONTAINMENT, COLLECTION, AND
   REMOVAL OF OIL DISCHARGES MAY NOT
   BE POSSIBLE.
- WHILE PHYSICAL CONTROL AND RECOVERY TECHNIQUES ARE THE TRADITIONAL RESPONSE MEASURES, OTHER COUNTERMEASURES ALSO NEED TO BE CONSIDERED.
- THE USE OF SWA'S MAY BE CONSIDERED TO PREVENT A SUBSTANTIAL THREAT TO THE PUBLIC HEALTH OR WELFARE, OR TO MINIMIZE SERIOUS ENVIRONMENTAL DAMAGE.

### CRITERIA FOR CONSIDERING THE USE OF SWA'S

- "LIFT AND FLOAT" OIL IS LIFTED FROM THE SURFACE OF THE OILED SUBSTRATE OR MATERIAL AND FLOATS ON THE SURFACE OF THE WATER.
- "LIFT AND DISPERSE" MAKES EFFECTIVE
   CONTAINMENT AND RECOVERY OF RELEASED
   OIL MORE LIMITED OR IMPOSSIBLE, DEPENDING
   ON THE DEGREE OF DISPERSING ACTION.
- GENERALLY, THE RRT PREFERS "LIFT AND FLOAT"
   TYPE SWA'S, IN ORDER TO ENHANCE RECOVERY.
- HOWEVER, CIRCUMSTANCES MAY WARRANT CONSIDERATION OF SWA'S THAT LIFT AND DISPERSE OR LIFT AND PARTIALLY DISPERSE.

### CRITERIA FOR CONSIDERING THE USE OF SWA'S

- INITIAL EVALUATION OF OIL TYPE AND IMPACTED SHORELINE IS REQUIRED PRIOR TO TESTING SWA ON A SPILL.
- SURFACE WASHING AGENTS WORK BEST WITH TYPE
   IV HEAVY CRUDE OIL.
- HOWEVER, LIGHT AND MEDIUM CRUDE OIL CAN WEATHER TO HEAVIER CRUDE OVER TIME AS CONSTITUENTS OF THE OIL VOLATILIZE.
- A BUCKET TEST SHOULD BE CONDUCTED TO DETERMINE IF THE REMOVED OIL WOULD LIKELY FLOAT.
- IF THE REMOVED OIL SINKS, IT MAY BE MORE DIFFICULT TO COLLECT AND COULD ADVERSELY IMPACT BENTHIC COMMUNITIES.
- SHORELINE TYPES BEST SUITED FOR SWA USE INCLUDE MAN-MADE STRUCTURES, RIP-RAP, BOULDERS, COBBLE, BEDROCK, ETC., THAT CAN BE CLEANED WITHOUT TRAPPING REMOVED OIL IN INACCESSIBLE SPACES.

## CONSTRAINTS GOVERNING TEST USE OF SWA'S

- PHYSICAL CONDITIONS PLAY A VITAL ROLE IN OVERALL EFFECTIVENESS OF SWA'S, AS WELL AS THE SUCCESS IN RECOVERING REFLOATED OIL. AS SUCH, THE FOLLOWING CONSTRAINTS SHALL BE OBSERVED:
  - WATER VELOCITY
  - WAVE ACTION
  - WATER DEPTH
  - ACCESSIBILITY
  - PRECIPITATION
  - TEMPERATURE
  - WIND

## CONSTRAINTS GOVERNING TEST USE OF SWA'S

- SPECIAL CONSIDERATION AREAS: IF
  TESTING IS PROPOSED IN THE FOLLOWING
  AREAS, ADDITIONAL CONSULTATION WITH
  THE APPROPRIATE MANAGER OR OWNER
  SHALL BE UNDERTAKEN PRIOR TO TEST
  APPLICATION:
  - VITAL RESOURCES
  - THREATENED & ENDANGERED SPECIES
  - FEDERAL, STATE OR LOCAL AREAS OF SIGNIFICANCE
  - HISTORIC/ARCHAEOLOGICAL RESOURCES
  - PRIVATE LANDOWNERS



## TEST PREPARATION PROCESS:

- IDENTIFY, NOTIFY AND COORDINATE WITH STAKEHOLDERS TO INCLUDE INCIDENT SPECIFIC RRT NOTIFICATION OF THE INTENT TO INITIATE TEST PREPARATION.
- SELECT ONE OR MORE OF THE NCP LISTED SURFACE WASHING AGENTS BASED ON ENVIRONMENTAL CONDITIONS.
- CONDUCT A BUCKET TEST TO DETERMINE IF REMOVED OIL
  WILL FLOAT OR SINK. IF IT FLOATS, NOTE THE TIME IT TAKES
  FOR THE WATER COLUMN TO BECOME CLEAR (ALL PARTICLES
  FLOAT TO THE SURFACE). IF THE OIL SINKS, THEN THE USE OF
  SURFACE WASHING AGENTS IS NOT APPROPRIATE.
- CONTACT SURFACE WASHING AGENT SUPPLIER TO:
  - A. IDENTIFY COST
  - B. DETERMINE AVAILABILITY
  - C. CONSIDER TRANSPORTATION
  - D. INVITE SURFACE WASHING AGENT REPRESENTATIVE TO PARTICIPATE





### TEST APPLICATION PROCEDURES

- 1. IDENTIFY TEST AREAS AND CONTROL AREA BOUNDARIES:
- 2. EFFECTIVENESS CRITERIA AND MONITORING PROCEDURES:
- 3. WATER & SEDIMENT SAMPLING IN CONTROL AND TEST AREAS FOR TOTAL PETROLEUM HYDROCARBON (TPH) ANALYSIS:
- 4. TOXICITY PROCEDURES TO EVALUATE SWA IMPACTS TO AQUATIC LIFE:
- 5. BOOMING & RECOVERY PROCEDURES:
- 6. SITE-SPECIFIC PRODUCT APPLICATION
  PROCEDURES ARE TO BE IN ACCORDANCE
  WITH MANUFACTURERS RECOMMENDED
  APPLICATION PROCEDURES:

### REPORTING

- THE RRT REQUIRES DOCUMENTATION AND AN AFTER-ACTION/LESSONS LEARNED REPORT FOLLOWING SWA USE.
- THE RRT MAY SPECIFY DOCUMENTATION TO PROVIDE, AND MAY CONDITION USE AS APPROPRIATE FOR THE INCIDENT.
- GENERALLY, THE RRT WILL REQUIRE
   PHOTOS, ESTIMATES OF EFFECTIVENESS,
   RECOVERY ESTIMATES, AMOUNT OF
   PRODUCT USED, AND AMOUNT OF
   OIL/AREA TREATED.
- TEST APPLICATIONS MAY BE REQUIRED
   PRIOR TO GRANTING FULL OPERATIONAL
   USE APPROVAL.



### REPORTING – RECOMMENDED OUTLINE

### Cover/Introduction/Test Procedures

### Results

- Effectiveness of bucket test
- Effectiveness of field test & recovery
- TPH
- Toxicity

### **Test Conclusions**

- Oil recovered/not recovered
- Oil dispersed/not dispersed
- Oil-cleaner mix toxic/nontoxic

#### Recommendations

- Proceed no further
- Coordinate/consult for operational use
- Conditions



The OSC will provide observations, lessons learned and suggested changes to the RRT2 Co-Chairs.

FOLLOWING USE OF THE PROTOCOL:

Changes to the protocol will be made as appropriate.

Lessons learned from each application will be submitted for inclusion in the Selection Guide for Oil Spill Applied Technologies.



QUESTIONS?

